

A CONTRIBUTION TOWARDS A CHECK-LIST OF THE NON-MARINE
MOLLUSCAN FAUNA OF SOUTH AFRICA.

By J. COSMO MELVILLE, M.A., F.L.S., etc., and J. H. PONSONBY,
F.Z.S., etc.

Read 10th June, 1898.

SINCE the publication, fifty years ago, of Dr. Krauss' "Sudafrikanischen Mollusken," so many additions have been made to this fauna that the following list may, it is hoped, be found useful alike to students here and to collectors on the spot. As the northern limit of South Africa we have taken the line of the Tropic of Capricorn, or just above the 24th parallel, thus excluding all tropical species.

[A few days after the reading of this paper Dr. Sturany, of Vienna, announced¹ the issue in the near future of a complete and comprehensive work on this subject, dealing with the whole country south of the Zambesi. Meantime he has already described a number of species; such of them as come within our geographical limits have been added, within brackets, after the genus to which they belong.]

We have not at present seen any of those shells to the names of which an asterisk (*) is prefixed.

GASTROPODA.

TESTACELLIDÆ.

APERA.

Burnupi, Smith : Ann. Nat. Hist., vol. x (1892), p. 465.
Hab.—Natal.

Gibbonsi, Bin. : Bull. Mus. Comp. Zool. Harvard, vol. v (1879),
p. 331; Jahrb. Deutsch. malak. Ges., vol. xii (1885), pl. ii,
figs. 5–7. Hab.—Natal.

TESTACELLA.

aurigaster, Layard [? ubi]. Hab.—Gardens in Capetown.

ENNEA.

Adamsiana, Pfr. : Mon. Helic. Viv., vol. v, p. 339; Novit. Conch.,
vol. i, pl. xxxii, figs. 9–11. Hab.—Natal.

Albersi, Pfr. : Proc. Zool. Soc., 1854, p. 295; Novit. Conch.,
vol. i, pl. x, figs. 15–17. Hab.—Natal.

aperostoma, Melv. & Pons. : Ann. Nat. Hist., vol. ix (1892), p. 93,
pl. vi, fig. 10. Hab.—Natal.

¹ Anzeiger k. Akad. Wissensch. Wien, 1898, No. xvi.

ENNEA (*continued*).

- auris-leporis*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 25,
pl. viii, fig. 3. Hab.—Natal.
- Bowkeræ*, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 92,
pl. vi, fig. 9. Hab.—Cape Colony.
- Burnupi*, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 634,
pl. xvii, fig. 2. Hab.—Natal.
- Cairnsi*, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 634,
pl. xvii, fig. 1. Hab.—Buffalo River.
- candidula*, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 12,
pl. ii, fig. 2. (*E. Layardi*, Aneey: Bull. Soc. Mal. France,
vol. vii, 1890, p. 159.) Hab.—Port Elizabeth.
- caryatis*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 24,
pl. viii, fig. 2. Hab.—Cradock, Cape Colony.
- cimolia*, Melv. & Pons.: Ann. Nat. Hist., vol. xvi (1895), p. 478,
pl. xviii, fig. 2. Hab.—Grahamstown.
- cionis*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 25,
pl. viii, fig. 4. Hab.—Port Elizabeth.
- Collieri*, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 23,
pl. iii, fig. 13. Hab.—Pretoria.
- consobrina*, Aneey: Brit. Natural., 1892, p. 125; Ann. Nat. Hist.,
vol. i (1898), pl. viii, fig. 9. Hab.—Albany.
- erassidens*, Pfr.: Mon. Helic. Viv., vol. iv, p. 340; Novit. Conch.,
vol. i, pl. xxxii, figs. 6–8. Hab.—Natal.
- erassilabris*, Craven: Proc. Zool. Soc., 1880, p. 616, pl. lvii, fig. 5.
Hab.—Transvaal.
- Crawfordi*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 26,
pl. viii, fig. 5. Hab.—Port Elizabeth.
- Crossleyana*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 106, pl. iii, fig. 8. Hab.—Natal.
- delicatula*, Pfr.: Malak. Blatt., vol. iii (1856), p. 259; Novit.
Conch., vol. i, pl. xxxii, figs. 21–23. Hab.—Natal.
- distincta*, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 22,
pl. iii, fig. 10. Hab.—Transvaal.
- docimasta*, Melv. & Pons. (*dokimasta*): Ann. Nat. Hist., vol. i
(1898), p. 27, pl. viii, fig. 7. Hab.—Natal.
- dolichoschia*, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 86,
pl. vi, fig. 6. Hab.—Port Elizabeth.
- Drakensbergensis*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 107, pl. iii, fig. 10. Hab.—Natal.
- Dunkeri*, Pfr.: Malak. Blatt., vol. ii (1855), p. 173; Novit.
Conch., vol. i, pl. xx, figs. 11–13. Hab.—Natal.
- elliptica*, Melv. & Pons.: Ann. Nat. Hist., vol. ii (1898), p. 126,
pl. vii, fig. 2. Hab.—Natal.
- euthymia*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 107,
pl. iii, fig. 10. Hab.—Natal.
- eximia*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 28,
pl. viii, fig. 8. Hab.—Between Delagoa Bay and Barberton.
- Farquhari*, Melv. & Pons.: Ann. Nat. Hist., vol. xvi (1895),
p. 478, pl. xviii, figs. 3–5. Hab.—Grahamstown.

ENNEA (*continued*).

- formosa*, Melv. & Pons. : Ann. Nat. Hist., vol. ii (1898), p. 126,
pl. vii, fig. 3. Hab.—Natal.
- Gouldi*, Pfr. : Malak. Blatt., vol. ii (1855), p. 174; Novit. Conch.,
vol. i, pl. xx, figs. 7–10. Hab.—Natal.
- impervia*, Melv. & Pons. : Ann. Nat. Hist., vol. xviii (1896), p. 315,
pl. xvi, fig. 1. Hab.—Natal.
- infans*, Craven : Proc. Zool. Soc., 1880, p. 616, pl. lvii, fig. 6.
Hab.—Transvaal.
- infrendens*, Mts. : Malak. Blatt., vol. xiii (1866), p. 110, pl. iii,
figs. 10–12. Hab.—Natal.
- Kraussi*, Pfr. : Malak. Blatt., vol. ii (1855), p. 174; Novit. Conch.,
vol. i, pl. xx, figs. 14–16. Hab.—Natal.
- labyrinthea*, Melv. & Pons. : Ann. Nat. Hist., vol. xvi (1895),
p. 479, pl. xviii, figs. 7, 8. Hab.—Grahamstown.
- Margarettæ*, Melv. & Pons. : Ann. Nat. Hist., vol. xvi (1895),
p. 479, pl. xviii, fig. 1. Hab.—Grahamstown.
- Mariae*, Melv. & Pons. : Ann. Nat. Hist., vol. ix (1892), p. 92,
pl. vi, fig. 12. Hab.—Grahamstown.
- Maritzburgensis*, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893),
p. 107, pl. iii, fig. 11. Hab.—Pietermaritzburg.
- **Menkeana*, Pfr. : Mon. Helic. Viv., vol. iii, p. 551; Novit. Conch.,
vol. i, pl. xxxii, figs. 3–5. Hab.—Natal.
- minuta*, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 13, pl. ii,
fig. 3; (as *E. pusilla*) loc. cit., p. 200. Hab.—Port Elizabeth.
- munita*, Melv. & Pons. : Ann. Nat. Hist., vol. ix (1892), p. 86,
pl. vi, fig. 5. Hab.—Griqualand East.
- Natalensis*, Craven : Proc. Zool. Soc., 1880, p. 619, pl. lvii, fig. 7.
Hab.—Durban.
- Nonotiensis*, Melv. & Pons. : Ann. Nat. Hist., vol. xiv (1894),
p. 95, pl. i, fig. 15. Hab.—Natal.
- obovata*, Pfr. : Proc. Zool. Soc., 1855, p. 9; Novit. Conch., vol. i,
pl. xvii, figs. 9–11. Hab.—Natal.
- pentodon*, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 11,
pl. ii, fig. 1; (as *E. Natalensis*) loc. cit., p. 200.
Hab.—Port Elizabeth.
- perspicua*, Melv. & Pons. : Ann. Nat. Hist., vol. xi (1893), p. 23,
pl. iii, fig. 12. Hab.—Transvaal.
- **Pfeifferi*, Krs. : Küst., Conch. Cab., p. 87, pl. xii, figs. 17–19.
Hab.—Cape Colony.
- Planti*, Pfr. : Malak. Blatt., vol. ii (1855), p. 173; Novit. Conch.,
vol. i, pl. xx, figs. 5, 6. Hab.—Natal.
- polita*, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893), p. 108,
pl. iii, fig. 12. Hab.—Cape Colony.
- pulchella*, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893), p. 108,
pl. iii, fig. 13. Hab.—Pietermaritzburg.
- Queketti*, Melv. & Pons. : Ann. Nat. Hist., vol. xviii (1896), p. 315,
pl. xvi, fig. 2. Hab.—Natal.
- regularis*, Melv. & Pons. : Ann. Nat. Hist., vol. xi (1893), p. 22,
pl. iii, fig. 11. Hab.—Pietermaritzburg.

ENNEA (*continued*).

- Rogersi*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 26,
pl. viii, fig. 6. Hab.—Cape Colony.
- scrobiculata*, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 93,
pl. vi, fig. 8. Hab.—Natal.
- Socratica*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 109,
pl. iii, fig. 14. Hab.—Natal.
- Tharfieldensis*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 109, pl. iii, fig. 15. Hab.—Cape Colony.
- thelodonta*, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 85,
pl. vi, fig. 6. Hab.—Port Elizabeth.
- Vandenbroeckii*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 110, pl. iii, fig. 16. Hab.—Natal.
- Vanstaadensis*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 110, pl. iii, fig. 17. Hab.—Cape Colony.
- Wahlbergi*, Krs.: Südafrik. Moll., p. 80, pl. v, fig. 5.
Hab.—Durban.
- Wottoni*, Melv. & Pons.: Ann. Nat. Hist., vol. xvi (1895), p. 479,
pl. xviii, fig. 6. Hab.—Grahamstown.
- [*]*ampullacea*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 3. Hab.—Near Durban.
- **Arnoldi*, Sturany (cum var. *elongata*): Anz. k. Akad. Wissensch.
Wien, 1898, No. xvi, reprint p. 6. Hab.—Near Durban.
- **differens*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 2. Hab.—Near Durban.
- **Durbanensis*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 4. Hab.—Near Durban.
- **Gouldi*, var. *excedens*, Sturany: Anz. k. Akad. Wissensch. Wien,
1898, No. xvi, reprint p. 2. Hab.—Near Durban.
- **ingens*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 3. Hab.—Near Durban.
- **instabilis*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 3. Hab.—Near Durban.
- **Isipingoensis*, Sturany (cum varr. *discrepans*, *simillima*, *cylindrica*):
Anz. k. Akad. Wissensch. Wien, 1898, No. xvi, reprint p. 5.
Hab.—Near Durban.
- **Leppani*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 5. Hab.—Albany District.
- **multidentata*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 4. Hab.—Near Durban.
- **Pentheri*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 6. Hab.—Near Durban.
- **perissodonta*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 4. Hab.—Delagoa Bay.
- **perspicuaformis*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 1. Hab.—Delagoa Bay.
- **sejuncta*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 3. Hab.—Near Durban.
- **separata*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 2. Hab.—Near Durban.

ENNEA (*continued*).

**transiens*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No xvi,
reprint p. 2. Hab.—Near Durban.]

RHYTIDA.

Kraussi, Pfr.: Symb. Hist. Helic., III, p. 70; Krs., Südafrik.
Moll., pl. iv, fig. 24. (*Sturmiana*, Pfr.: Proc. Zool. Soc., 1851,
p. 253; Rve., Conch. Icon., pl. clxviii, fig. 1, 132.)

Hab.—Cape Colony.

Schärfiae, Pfr.: Malak. Blatt., vol. viii (1861), p. 73, pl. ii,
figs. 1-3; Chemn., Conch. Cab., clxxviii, figs. 1-6.

Hab.—Cape Colony.

vernicosa, Krs.: Südafrik. Moll., p. 76, pl. iv, fig. 23.
Hab.—S. Africa.

NATALINA.

Beyrichi, Mts.: Sitz. Ber. Ges. naturf. Berlin, 1890, p. 85,
pl. vi, figs. 1-3. Hab.—Pondoland.

cænotera, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 238,
pl. xiii, fig. 2. Hab.—S. Africa.

Caffra, Fér.: pr. 3, Hist., pl. ix A, fig. 8.
Var. *Wesseliana*, Maltz.: Jahrb. Deutsch. malak. Ges., vol. iii
(1876), p. 149, pl. v, fig. 1. Hab.—S. Africa.

Caffrula, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 24,
pl. viii, fig. 1. Hab.—Cape Colony.

capsula, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 492.
Hab.—Cape Colony.

Chaplini, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 91,
pl. i, fig. 3; vol. xv (1895), pl. xii, figs. 5-5b.
Hab.—Cape Colony.

Coerneyensis, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 91,
pl. i, fig. 2. Hab.—Cape Colony.

cosmia, Pfr.: Zeitsch. f. Malak., 1852, p. 112; Rve., Conch. Icon.,
pl. clxxiii, fig. 1, 174. (*cerea*, Pfr.: Zeitsch. f. Malak., 1851,
p. 16 [*nec* Gould]. *munda*, Bens.: Ann. Nat. Hist., vol. vi,
1850, p. 253 [*nec* Adams]. *omphalion*, Bens.: Ann. Nat.
Hist., vol. xiii, 1864, p. 494.) Hab.—Capetown.

dumeticola, Bens.: Ann. Nat. Hist., vol. vii (1851), p. 106; Rve.,
Conch. Icon., pl. clxxiii, fig. 1, 172. Hab.—Capetown.

eumacta, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 237,
pl. xiii, fig. 4. Hab.—Natal.

Knysnaensis, Pfr.: Proc. Zool. Soc., 1845, p. 131; Chemn., Conch.
Cab., pl. cxxxiii, figs. 5, 6. Hab.—Cape Colony.

liparoxantha, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 238,
pl. xiii, fig. 3. Hab.—Natal.

Quekettiana, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893),
p. 103, pl. iii, fig. 1. Hab.—Natal.

Somersetensis, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893),
p. 19, pl. iii, fig. 2. Hab.—Cape Colony.

Trimeni, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 237,
pl. xiii, fig. 1. Hab.—Cape Colony.

NATALINA (*continued*).

viridescens, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 238;
vol. ix (1892), pl. iv, fig. 1. Hab.—Transvaal.

ZONITIDÆ.

ZINGIS.

afræ, Pfr.: Vers., 119. (*Tollini*, Alb.: Malak. Blatt., vol. iv, 1857,
p. 94; Chemn., Conch. Cab., pl. clxxviii, figs. 13–15.) Hab.—Cape Colony.

Arnotti, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 491.
Hab.—Cape Colony.

cotyledonis, Bens.: Ann. Nat. Hist., vol. v (1850), p. 216; Chemn.,
Conch. Cab., pl. cxli, figs. 3, 4. Hab.—Capetown.

Crawfordi, Melv. & Pons.: Ann. Nat. Hist., vol. vi (1890), p. 469,
vol. ix (1892), pl. iv, fig. 4. Hab.—Natal.

delicata, Melv. & Pons.: Ann. Nat. Hist., vol. xv (1895), p. 163,
pl. xii, figs. 1, 1a. Hab.—Cape Colony.

inclaræ, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 6, pl. i,
fig. 2; (as *inops*, Morel.) loc. cit., p. 200. Hab.—Natal.

lygæa, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 85,
pl. iv, fig. 7. Hab.—Natal.

minythodes, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 240,
pl. xiii, fig. 8. Hab.—Cape Colony.

Natalensis, Pfr.: Symb. Hist. Helic., III, p. 65; Chemn., Conch.
Cab., pl. xxix, figs. 30–32. Hab.—Natal.

phytostylus, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 492.
Hab.—Cape Colony.

pinguis, Krs.: Südafrik. Moll., p. 75, pl. iv, fig. 19. Hab.—Natal.

Trotteriana, Bens.: Ann. Nat. Hist., vol. ii (1848), p. 161; Chemn.,
Conch. Cab., pl. cxlii, figs. 1, 2. Hab.—Cape Colony.

HELICARION.

chrysoprasinus, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892),
p. 241, pl. xiii, fig. 11. Hab.—Pretoria.

cingulatus, Melv. & Pons.: Ann. Nat. Hist., vol. vi (1890), p. 466;
vol. ix (1892), pl. v, fig. 8. Hab.—Port Elizabeth.

corneus, Pfr.: Symb. Hist. Helic., III, p. 81; Chemn., Conch.
Cab., pl. ii, figs. 31–33. Hab.—Natal.

fuscicolor, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 240,
pl. xiii, fig. 10. Hab.—Natal.

Hudsoniæ, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 493.
Var. *rufofilosa*: Ann. Nat. Hist., vol. vi (1890), p. 467.

„ *meridionalis*: Ann. Nat. Hist., vol. vi (1890), p. 468.

„ *aloicola*: Ann. Nat. Hist., vol. vi (1890), p. 468.

Hab.—Cape Colony.

Natalensis, Krs.: Südafrik. Moll., p. 74, pl. iv, fig. 17.
Hab.—Natal.

pellicula, Fér.: pr. 9, p. 21, Hist., pl. ix A, figs. 5–7.
Hab.—Cape Colony.

HELICARION (*continued*).

- phaedimus*, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 241,
pl. xiii, fig. 12. Hab.—Natal.
Planti, Pfr.: Proc. Zool. Soc., 1856, p. 324. Hab.—Natal.
Poeppigi, Mke.: Symb. Hist. Helic., iii, p. 81; Chemn., Conch.
Cab., pl. ii, figs. 13–15. Hab.—Natal.
symmetricus, Craven: Proc. Zool. Soc., 1880, p. 614, pl. lvii,
fig. 2. Hab.—Transvaal.
Transvaalensis, Craven: Proc. Zool. Soc., 1880, p. 615, pl. lvii,
fig. 3. Hab.—Transvaal.
Vandenbroeckii, Craven: Proc. Zool. Soc., 1880, p. 615, pl. lvii,
fig. 4. Hab.—Transvaal.
zonamydrus, Melv. & Pons.: Ann. Nat. Hist., vol. vi (1890), p. 467;
vol. ix (1892), pl. v, fig. 9. Hab.—Cape Colony.

LIMAX.

- **maximus*, L.: Syst. Nat., 12th ed., p. 108. Hab.—Capetown.
variegatus, Drap.: Tab. Moll., 1801, p. 103.
Hab.—Pietermaritzburg.

AGRIOLIMAX.

- **agrestis*, L.: Syst. Nat., 12th ed., p. 652. Hab.—Capetown.

AMALIA.

- **Capensis*, Krs.: Südafrik. Moll., p. 73. Hab.—Cape Colony.
gagates, Drap.: Hist. Moll. France, p. 122, pl. ix, fig. 1.
Hab.—Natal.

UROCYCLUS.

- flavescens*, Keferstein: Malak. Blatt., 1866, p. 70, pl. ii, figs. 1–8.
Hab.—Natal.
 **Kraussianus*, Heynm.: (*Limax*, ?sp., Krs., Südafrik. Moll., p. 73)
Jahrb. Deutsch. malak. Ges., 1885, p. 327. Hab.—Cape Colony.
pallidescens, Ckll.: Ann. Nat. Hist., vol. vii (1891), p. 101.
Hab.—Natal.

OOPELTA.

- **aterrima*, Gray: Cat. Pulmon., 1855, p. 55; Ckll., Ann. Nat. Hist.,
vol. vi (1890), p. 387. Hab.—S. Africa.
 **nigropunctata* (Mörch), Heynm.: Malak. Blatt., vol. xiv (1867),
p. 191. Hab.—Cape Colony.

KALIELLA.

- Pretoriensis*, Melv. & Pons.: Ann. Nat. Hist., vol. vi (1890), p. 469;
vol. ix (1892), pl. iv, fig. 5. Hab.—Transvaal.

MARTENSIAS.

- Mozambicensis*, Pfr.: Proc. Zool. Soc., 1855, p. 91, pl. xxxi, fig. 9.
Hab.—Near Delagoa Bay.

ENDODONTIDÆ.

PIASIS.

- Capensis*, Pfr.: Symb. Hist. Helic., i, p. 40; Rve., Conch. Icon.,
pl. xlvi, fig. 202. (*littoricola*, Bens.: MS.) Hab.—Cape Colony.

PHASIS (*continued*).

- Menkeana*, Pfr.: *Symb. Hist. Helic.*, II, p. 33; Rve., Conch. Icon., pl. evi, fig. 591. Hab.—Cape Colony.
Namaguana, Mts.: *Sitz. Ber. Ges. naturf. Berlin*, 1889, p. 161, pl. vii, figs. 1–4. Hab.—Namaqualand.
paludicola, Bens.: *Ann. Nat. Hist.*, vol. vi (1850), p. 253; Rve., Conch. Icon., pl. clxxiv, fig. 1,179. Hab.—Capetown.
**tabulæ*, Chaper: *Bull. Soc. Zool. France*, 1885, p. 483, pl. xi, figs. 4, 5. Hab.—Capetown.
**Uitenhagensis*, Krs.: *Südafrik. Moll.*, p. 76, pl. iv, fig. 22. Hab.—Cape Colony.

TRACHYCYSTIS.

- actinotricha*, Melv. & Pons.: *Ann. Nat. Hist.*, vol. x (1892), p. 238, pl. xiii, fig. 5. Hab.—Natal.
aenea, Krs.: *Südafrik. Moll.*, p. 75, pl. iv, fig. 18. Hab.—Natal.
**Africæ*, A. D. Brown: *Amer. Journ. Conch.*, vol. i (1865), p. 136; Chemn., Conch. Cab., pl. clxii, figs. 8, 9. Hab.—Cape Colony.
Aleocki, Melv. & Pons.: *Ann. Nat. Hist.*, vol. xv (1895), p. 164, pl. xii, figs. 2, 2a. Hab.—Cape Colony.
aprifica, Krs.: *Südafrik. Moll.*, p. 77, pl. iv, fig. 26. Hab.—Natal.
aulacophora, Ancey: *Bull. Soc. Malac. France*, vol. vii (1890), p. 158; Tryon, Man. Conch., ser. II, vol. viii, pl. xlivi, figs. 60, 61. Hab.—Cape Colony.
bathycæle, Melv. & Pons.: *Ann. Nat. Hist.*, vol. ix (1892), p. 89, pl. v, fig. 4. Hab.—Cape Colony.
bisculpta, Bens.: *Ann. Nat. Hist.*, vol. vii (1851), p. 103; Rve., Conch. Icon., pl. clxxiii, fig. 1,171. Hab.—Cape Colony.
Browningi, Bens.: *Ann. Nat. Hist.*, vol. xiii (1864), p. 493; Tryon, Man. Conch., ser. II, vol. ix, pl. x, figs. 8, 9. Hab.—Cape Colony.
Burnupi, Melv. & Pons.: *Ann. Nat. Hist.*, vol. x (1892), p. 239, pl. xiii, fig. 6. Hab.—Natal.
Charybdis, Bens.: *Ann. Nat. Hist.*, vol. xviii (1856), p. 436. Hab.—Cape Colony.
conisalea, Melv. & Pons.: *Ann. Nat. Hist.*, vol. x (1892), p. 239, pl. xiii, fig. 7. Hab.—Natal.
epetrima, Melv. & Pons.: *Ann. Nat. Hist.*, vol. ix (1892), p. 84, pl. iv, fig. 3. Hab.—Cape Colony.
eratina, Melv. & Pons.: *Ann. Nat. Hist.*, vol. ix (1892), p. 88, pl. v, fig. 3. Hab.—Cape Colony.
Glanvilleana, Ancey: *Bull. Soc. Malac. France*, vol. vii (1890), p. 157. Hab.—Cape Colony.
Hartvigiana, Pfr.: *Malak. Blatt.*, vol. viii (1861), p. 167; Küst., Conch. Cab., pl. clxxviii, figs. 10–12. Hab.—Cape Colony.
Hottentota, Melv. & Pons.: *Ann. Nat. Hist.*, vol. viii (1891), p. 239; vol. ix (1892), pl. iv, fig. 6. Hab.—Cape Colony.
lignicola, Melv. & Pons.: *Ann. Nat. Hist.*, vol. ii (1898), p. 126, pl. vii, fig. 1. Hab.—Cape Colony.
liricostata, Melv. & Pons.: *Ann. Nat. Hist.*, vol. viii (1891), p. 239; vol. ix (1892), pl. v, fig. 1. Hab.—Cape Colony.

TRACHYCYSTIS (*continued*).

- Loveni*, Krs.: Südafrik. Moll., p. 76, pl. iv, fig. 21. Hab.—Natal.
perplicata, Bens.: Ann. Nat. Hist., vol. vii (1851), p. 104; Rve.,
 Conch. Icon., pl. clxxiii, fig. 1,173. Hab.—Cape Colony.
**petrobia*, Bens.: Ann. Nat. Hist., vol. vii (1851), p. 105; Rve.,
 Conch. Icon., pl. clxxiii, fig. 1,169. Hab.—Cape Colony.
Planti, Pfr.: Proc. Zool. Soc., 1854, p. 51 (*Platti*, ex err. typ.);
 Rve., Conch. Icon., pl. clxxxix, fig. 1,325. Hab.—Natal.
**prionacis*, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 493.
 Hab.—Cape Colony.
rariplacata (Bens.), Pfr.: Zeitsch. f. Malak., 1849, p. 71; Rve.,
 Conch. Icon., pl. clxxiv, fig. 1,183. Hab.—Capetown.
rhyssodes, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 88,
 pl. iv, fig. 2. Hab.—“S. Africa.”
rivularis, Krs.: Südafrik. Moll., p. 77, pl. iv, fig. 25.
 Hab.—Capetown.
sabuletorum, Bens.: Ann. Nat. Hist., vol. vii (1851), p. 105;
 Rve., Conch. Icon., pl. clxxiv, fig. 1,180. Hab.—Capetown.
strobilodes, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 19,
 pl. iii, fig. 1. Hab.—Cape Colony.
teretiuscula, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897),
 p. 635, pl. xvii, fig. 5. Hab.—Natal.
trichostrioma, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 84,
 pl. iv, fig. 9. Hab.—Natal.
turmalis, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 5, pl. i,
 fig. 1. Hab.—Cape Colony.
vorticalis, Bens.: Ann. Nat. Hist., vol. v (1851), p. 216; Rve.,
 Conch. Icon., pl. clxxiv, fig. 1,181. Hab.—Capetown.

HELICIDÆ.

DORCASIA.

- Alexandri*, Gray: Alexander's Exped. into the interior
 of Africa, vol. ii (1838), p. 268. Hab.—Great Namaqualand.
 Var. *minor*, Bttg.: Ber. Senckenb. naturf. Ges., 1886, p. 22,
 pl. ii, figs. 1a—c. Hab.—S. Kalahari.
**bulbus* (Mke.), Pfr.: Zeitsch. f. Malak., 1848, p. 116; Chemn.,
 Conch. Cab., pl. exxii, figs. 4—6. Hab.—Cape Colony.
**cernua*, Mts.: Sitz. Ber. Ges. naturf. Berlin, 1889, p. 161, pl. vii,
 figs. 8—10. Hab.—Namaqualand.
**coagulum*, Mts.: Sitz. Ber. Ges. naturf. Berlin, 1889, p. 160,
 pl. vii, figs. 11—14. Hab.—Namaqualand.
globulus, Müll.: Hist. Verm., vol. ii, p. 68; Chemn., Conch. Cab.,
 pl. iv, figs. 5, 6. Hab.—Capetown.
gypsina, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 238;
 vol. ix (1892), pl. iv, fig. 10. Hab.—Springbok.
Inhluzana, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 91,
 pl. i, fig. 4; vol. xv (1895), pl. xii, figs. 6, 6a.
 Hab.—Drakensberg Mountains.
lucana, Müll.: Hist. Verm., vol. ii, p. 75; Chemn., Conch. Cab.,
 pl. ix, figs. 1, 2. Hab.—Cape Colony.

DORCASIA (*continued*).

- Namaquensis*, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 237; vol. ix (1892), pl. iv, fig. 12. Hab.—Namaqualand.
porphyrostoma, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 238; vol. ix (1892), pl. iv, fig. 10. Hab.—Namaqualand.
rosacea, Müll.: Hist. Verm., ii, p. 76; Chemn., Conch. Cab., pl. lv, figs. 7, 8. Hab.—Cape Colony.

TULBAGHINIA.

- isomeriooides*, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 28, pl. viii, fig. 10. Hab.—Cape Colony.
-

DOUBTFUL HELICOID SPECIES.

- **Congellana*, Krs. (*Helix*): ? MS. ubi. Hab.—Cape Colony.
dioryx, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 89, pl. v, fig. 2 (*Trochozonites*). Hab.—Robbe Bay.
Farquhari, Melv. & Pons.: Ann. Nat. Hist., vol. x (1892), p. 240, pl. xiii, fig. 9 (*Helix*). Hab.—Port Elizabeth.
hypochlora, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 88, pl. iv, fig. 8 (*Nanina*). Hab.—“Cape of Good Hope.”
*i_{microscopica}, Krs.: Südafrik. Moll., p. 76, pl. iv, fig. 20 (*Helix*). Hab.—Cape Colony.
*i_{pisolina}, Gld.: Proc. Boston Soc. Nat. Hist., vi (1859), p. 423 (*Helix*). Hab.—? Cape of Good Hope.
*i_{Roseri}, Krs. (*Helix*): ? MS. ubi. Hab.—Cape Colony.
tuguriolum, Melv. & Pons.: vol. ix (1892), p. 88, pl. v, fig. 5 (*Pella*). Hab.—“S. Africa.”
-

BULIMINIDÆ.

BULIMINUS.

- arenicola*, Bens.: Ann. Nat. Hist., vol. xviii (1856), p. 433; Rve., Conch. Icon., pl. lxii, fig. 430. Hab.—Natal.
Bowkeri, Sby.: Proc. Zool. Soc., 1889, p. 581, pl. lvi, fig. 5. Hab.—Cape Colony.
Burchelli, Gray: Proc. Zool. Soc., 1834, p. 66. Hab.—Kalahari.
**Calaharicus*, Bttg.: Ber. Senckenb. naturf. Ges., 1886, p. 24, pl. ii, figs. 3a-e. Hab.—S. Kalahari.
carinifer, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 637, pl. xvii, fig. 8. Hab.—Natal.
conulus, Rve.: Conch. Icon., pl. lxxviii, fig. 577. Hab.—Natal.
Drakensbergensis, Smith: Ann. Nat. Hist., vol. xx (1877), p. 538. Hab.—Transvaal.
jejonus, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 106, pl. iii, fig. 7. Hab.—Transvaal.

BULIMINUS (*continued*).

- Maritzburgensis*, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893),
p. 105, pl. iii, fig. 5. Hab.—Natal.
meridionalis, Pfr. : Proc. Zool. Soc., 1847, p. 231; Rve., Conch.
Icon., pl. lvi, fig. 370. Hab.—Port Elizabeth.
Natalensis, Krs. : Südafrik. Moll., p. 78, pl. v, fig. 1. Hab.—Natal.
nuptialis, Melv. & Pons. : Ann. Nat. Hist., vol. xiv (1894), p. 92,
pl. i, fig. 5. Hab.—Cape Colony.
**psammophilus*, Bttg. : Ber. Senckenb. naturf. Ges., 1886, p. 23,
pl. ii, figs. 2a—c. Hab.—S. Kalahari.
spadiceus (Mke.), Pfr. : Symb. Hist. Helic., III, p. 87; Chemn.,
Conch. Cab., pl. lxi, figs. 13, 14. Hab.—Cape Colony and Natal.
Transvaalensis, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893),
p. 105, pl. iii, fig. 6. Hab.—Transvaal.
Zuluensis, Melv. & Pons. : Ann. Nat. Hist., vol. ii (1898), p. 127,
pl. vii, fig. 5. Hab.—Zululand.
[**dubiosus*, Sturany : Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 7. Hab.—Matolla.
**Pentheri*, Sturany : Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 7. Hab.—Matolla.
**Moveneensis*, Sturany : Anz. k. Akad. Wissensch. Wien, 1898,
No. xvi, reprint p. 8. Hab.—Movene.]

PUPIDÆ.

PUPA.

- amphodon*, Melv. & Pons. : Ann. Nat. Hist., vol. xviii (1896), pl. xvi,
figs. 6, 7. Hab.—Port Elizabeth.
Charybdica, Melv. & Pons. : Ann. Nat. Hist., vol. xiv (1894), p. 94,
pl. i, fig. 13. Hab.—Port Elizabeth.
custodita, Melv. & Pons. : Ann. Nat. Hist., vol. xiv (1894), p. 94,
pl. i, fig. 9. Hab.—Pretoria.
dadiom, Bens. : Ann. Nat. Hist., vol. xiii (1864), p. 495.
Hab.—Capetown.
dysorata, Melv. & Pons. : Ann. Nat. Hist., vol. xi (1893), p. 20,
pl. iii, fig. 4; emend. vol. xii (1893), p. 111.
Hab.—Griqualand East.
Elizabetensis, Melv. & Pons. : Ann. Nat. Hist., vol. ix (1892), p. 91,
pl. v, fig. 13. Hab.—Port Elizabeth.
Farquhari, Melv. & Pons. : Ann. Nat. Hist., vol. ii (1898), p. 128,
pl. vii, fig. 7. Hab.—Cape Colony.
fontana, Krs. : Südafrik. Moll., p. 80, pl. v, fig. 6. Hab.—S. Africa.
frustillum, Melv. & Pons. : Ann. Nat. Hist., vol. xiv (1894), p. 94,
pl. i, fig. 14. Hab.—Port Elizabeth.
Fryana, Bens. : Ann. Nat. Hist., vol. xiii (1864), p. 495.
Hab.—Cape Colony.
Griqualandica, Melv. & Pons. : Ann. Nat. Hist., vol. xi (1893),
p. 22, pl. iii, fig. 9. Hab.—Griqualand East.
haploa, Melv. & Pons. : Ann. Nat. Hist., vol. xi (1893), p. 21, pl. iii,
fig. 7. Hab.—Pretoria.

PUPA (*continued*).

- iota*, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 93, pl. i,
fig. 10. Hab.—Pretoria.
keræa, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 94, pl. i,
fig. 12. Hab.—Pretoria.
Layardi, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 496.
Hab.—Cape Colony.
**Noltei*, Bttg.: Ber. Senckenb. naturf. Ges., 1886, p. 25, pl. ii,
figs. 4a—c. Hab.—S. Kalahari.
omieronaria, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 93,
pl. i, fig. 11. Hab.—Pretoria.
Pretoriensis, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 21,
pl. iii, fig. 8. Hab.—Pretoria.
psichion, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 93,
pl. i, fig. 8. Hab.—Pretoria.
quantula, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 20,
pl. iii, fig. 5. Hab.—Port Elizabeth.
Sykesi, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 21,
pl. iii, fig. 6; emend. vol. xii (1893), p. 111.
Hab.—Griqualand East.
tabularis, Melv. & Pons.: Ann. Nat. Hist., vol. xi (1893), p. 20,
pl. iii, fig. 3. Hab.—Capetown.
[**Pentheri*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi,
reprint p. 8. Hab.—Natal.]

FAUXULUS.

- Capensis*, Kurr: Küst., Conch. Cab. (*Pupa*), p. 10, pl. i,
figs. 19, 20. Hab.—Cape Colony.
Var. *Kurri*, Krs.: Küst., Conch. Cab. (*Pupa*), p. 10, pl. i,
figs. 16–18 (as *ovularis*, Kurr). Hab.—Cape Colony.
Var. *Pottebergensis*, Krs.: Küst., Conch. Cab. (*Pupa*), p. 17,
pl. ii, figs. 20–22. Hab.—Cape Colony.
Glanvilleana, Ancey: Le Naturaliste, 1888, p. 200.
Hab.—Cape Colony.
pamphorodon, Bens.: Ann. Nat. Hist., vol. xiii (1864), p. 495.
Hab.—Cape Colony.
pereximia, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 638,
pl. xvii, fig. 3. Hab.—Buffalo River.
Ponsonbyana, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 9,
pl. i, fig. 5. Hab.—Port Elizabeth.

CÆLIAXIS.

- Layardi*, Ad. & Ang.: Proc. Zool. Soc., 1865, p. 54, pl. ii, fig. 1.
Hab.—Cape Colony.

VERTIGO.

- sinistrorsa*, Craven: Proc. Zool. Soc., 1880, p. 618, pl. lvii, fig. 8.
(*thaumasta*, Melv. & Pons.: Ann. Nat. Hist., vol. viii, 1891,
p. 239; and vol. ix, 1892, p. 94, pl. vi, fig. 7.)
Hab.—Port Elizabeth.

STENOGYRIDÆ.

LIVINHACIA.

Kraussi, Pfr.: (*Bulimus*) Symb. Hist. Helic., III, p. 85; Rve.,
Conch. Icon. (*Bulimus*), pl. lxiii, fig. 436. Hab.—Natal.

Var. *Plantæ*, Pfr.: Novit. Conch., vol. ii, p. 160, pl. xlvi,
figs. 1, 2. Hab.—Natal.

ACHATINA.

aurora, Pfr.: Proc. Zool. Soc., 1854, p. 294. Hab.—Natal.

bisculpta, Smith: Journ. Conch., vol. i, p. 349. Hab.—South Africa.
Burnupi, Smith: Ann. Nat. Hist., vol. vi (1890), p. 393.

Hab.—Natal.

Churchilliana, Melv. & Pons.: Ann. Nat. Hist., vol. xv (1895),
p. 164, pl. xii, fig. 3. Hab.—Natal.

cinnamomea, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894),
p. 92, pl. i, fig. 6. Hab.—Standerton.

Cravordi, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 8,
pl. i, fig. 3. Hab.—Port Elizabeth.

dimidiata, Smith: Journ. Conch., vol. i, p. 348. Hab.—Transvaal.
Drakensbergensis, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897),
p. 636, pl. xvii, fig. 7. Hab.—Natal.

granulata, Pfr.: Mon. Helic. Viv., vol. iii, p. 484. Hab.—Natal.
(? and var. *A. semigranosa*, Pfr.: Proc. Zool. Soc., 1861, p. 25.)

immaculata, Lam.: Anim. sans Vert., vol. iii, p. 128; Fér., Hist.
Nat. Moll., pl. exxvii. Hab.—Delagoa Bay.

Linteræ, Sby.: Proc. Zool. Soc., 1889, p. 580, pl. lvi, fig. 11.
Hab.—Port Elizabeth.

Livingstonei, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897),
p. 636, pl. xvii, fig. 6. Hab.—Kuruman.

Natalensis, Pfr.: Proc. Zool. Soc., 1854, p. 294. Hab.—Natal.

œdipyra, Melv. & Pons.: Ann. Nat. Hist., vol. xiv (1894), p. 92,
pl. i, fig. 7. Hab.—Cape Colony.

**pantheræ*, Fér.: Prod., p. 349; Rve., Conch. Icon., pl. iii, fig. 12.
Hab.—Inhambane.

penestes, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 104,
pl. iii, fig. 3. Hab.—Pretoria.

rhabdota, Melv. & Pons.: Ann. Nat. Hist., vol. i (1898), p. 29,
pl. viii, fig. 11. Hab.—S. Africa.

scævola, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 104,
pl. iii, fig. 2. Hab.—Transvaal.

semidecussata, Mke.: Philippi, Abbild., vol. ii, p. 213, pl. i, fig. 1.
Hab.—Natal.

simplex, Smith: Journ. Conch., vol. i, p. 350. Hab.—Natal.

Smithii, Craven: Proc. Zool. Soc., 1880, p. 617, pl. lvii, fig. 1.
Hab.—Transvaal.

Transvaalensis, Smith: Journ. Conch., vol. i, p. 351.
Hab.—Transvaal.

ustulata, Lam.: Anim. sans Vert., vol. ix, p. 130; Fér., Hist.
Nat. Moll., pl. exxv, figs. 1, 2. Hab.—Cape Colony.

varicosa, Pfr.: Malak. Blatt., 1861, p. 73, pl. ii, figs. 7, 8.
Hab.—Cape Colony.

ACHATINA (*continued*).

- vestita*, Pfr.: Proc. Zool. Soc., 1854, p. 293; Novit. Conch., vol. i, pl. ix, figs. 8, 9. Hab.—Delagoa Bay.
zebra, Brug.: Eney. Meth., Vers vol. i, p. 357; Rve., Conch. Leon., pl. vii, fig. 23.
 Var. *fulgurata*, Pfr.: Mon. Helic. Viv., vol. iii, p. 486; Chemn., Conch. Cab., 2nd ed. (*Bul.*), pl. xxvi, fig. 1.
 Var. *Kraussi*, Rve.: Conch. Leon., pl. vi, fig. 21.
 Var. *obesa*, Pfr.: Malak. Blatt., vol. i (1854), p. 224; Fér., Hist. Nat. Moll., pl. exxxiii.
Hab.—S. Africa.

[**Pentheri*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi, reprint p. 6. Hab.—Natal.]

OBELISCUS.

- lanceolatus*, Pfr.: (*Bulimus*) Proc. Zool. Soc., 1854, p. 292. (*mieans*, Pfr.: Malak. Blatt., vol. iv, 1857, p. 156.) Hab.—Natal.

SUBULINA.

- acus*, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 8, pl. i, fig. 6. Hab.—Natal.
cacuminata, Melv. & Pons.: Ann. Nat. Hist., vol. ix (1892), p. 85, pl. vi, fig. 2. Hab.—Cape Colony.
Crawfordi, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 105, pl. iii, fig. 4. Hab.—Cape Colony.
crystallina, Melv. & Pons.: Ann. Nat. Hist., vol. xviii (1896), p. 316, pl. xvi, fig. 4. Hab.—Natal.
glaucoeyanea, Melv. & Pons.: Ann. Nat. Hist., vol. xviii (1896), p. 317, pl. xvi, fig. 5. Hab.—Port Elizabeth.
laeocochlis, Melv. & Pons.: Ann. Nat. Hist., vol. xviii (1896), p. 316, pl. xvi, fig. 3. Hab.—Humansdorp, Cape Colony.
linearis, Krs.: Südafrik. Moll., p. 78, pl. v, fig. 3. Hab.—Natal.
Tugelensis, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 637, pl. xvii, fig. 9. Hab.—Natal.
turriformis, Krs.: Südafrik. Moll., p. 78, pl. v, fig. 2. Hab.—S. Africa.

[**Durbanensis*, Sturany: Anz. k. Akad. Wissensch. Wien, 1898, No. xvi, reprint p. 7. Hab.—Natal.]

CURVELLA.

- cataarractæ*, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 635, pl. xvii, fig. 4. Hab.—Natal.
globosus, Melv. & Pons.: Ann. Nat. Hist., vol. ii (1898), p. 128, pl. vii, fig. 6. Hab.—Natal.

SUCCINEIDÆ.

SUCCINEA.

- Boukeri*, Melv. & Pons.: Ann. Nat. Hist., vol. xii (1893), p. 110, pl. iii, fig. 18. Hab.—Natal.
Delalandei, Pfr.: Zeitsch. f. Malak., 1851, p. 28; Chemn., Conch. Cab., pl. iii, figs. 38–40. Hab.—Transvaal.

SUCCINEA (*continued*).

- exarata*, Krs. : Südafrik. Moll., p. 74, pl. iv, fig. 15. Hab.—Natal.
patentissima (Mke.), Pfr. : Zeitsch. f. Malak., 1853, p. 52 ;
 Chemn., Conch. Cab., pl. vi, figs. 26–28. Hab.—Natal.
piscinalis, Melv. & Pons. : Ann. Nat. Hist., vol. ii (1898), p. 127,
 pl. vii, fig. 4. Hab.—Fish River.
Planti, Pfr. : Proc. Zool. Soc., 1856, p. 326. Hab.—Natal.
**putris*, L. Var. *Africana*, Krs. : Südafrik. Moll., p. 73 ; Bourg.,
 Rev. & Mag. Zool., 1856, p. 11. Hab.—S. Africa.
striata, Krs. : Südafrik. Moll., p. 73, pl. iv, fig. 16.
 Hab.—S. Africa.

VERONICELLIDÆ.

VERONICELLA.

- **maura*, Heynm. : Jahrb. Deutsch. malak. Ges., vol. xii (1885),
 p. 6, pl. i, figs. 6, 7. Hab.—Delagoa Bay.
Natalensis, Rapp. : Krs., Südafrik. Moll., p. 73. Hab.—Natal.
**Petersi*, Mts. : Monatsber. K. Preuss. Akad. Wissensch., 1880,
 p. 736. Hab.—Inhambane.
**saxicola*, Ckll. : Conchologist, vol. ii (1893), p. 216.
 Hab.—Port Elizabeth.

AURICULIDÆ.

*AURICULA.

- pellucens*, Mke. : Syn. Meth. Moll., 2nd ed., p. 131 ; Küst.,
 Conch. Cab., pl. ii, figs. 16, 17. Hab.—Natal.
pusilla, H. & A. Ad. : Proc. Zool. Soc., 1854, p. 8 ; Pfr., Novit.
 Conch., vol. i, pl. x, figs. 10–12. Hab.—Natal.

CASSIDULA.

- Kraussi*, Küst. : Conch. Cab., p. 24, pl. iii, figs. 6–8.
 Hab.—Natal.

MELAMPUS.

- acinoides*, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 14,
 pl. i, fig. 9. Hab.—Port Elizabeth.
**Caffer*, Küst. : Conch. Cab., p. 36, pl. v, figs. 6–8. Hab.—Natal.
granifer, Mouss. : Jav. Moll., p. 46, pl. v, fig. 9, pl. xx, fig. 7.
 Hab.—Natal.
**Kuesteri* (Krs.), Küst. : Conch. Cab., p. 34, pl. iv, figs. 10–13.
 Hab.—Natal.
**lividus*, Desh. : Ency. Meth., Vers vol. ii, p. 91 ; Küst., Conch.
 Cab., pl. vi, figs. 21–26. Hab.—Natal.
Umlaasianus (Krs.), Küst. : Conch. Cab., p. 43, pl. vi, figs. 16–20.
 Hab.—Cape Colony.

ALEXIA.

- acuminata*, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 15,
 pl. i, fig. 11. Hab.—Port Elizabeth.
pulehella, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 15,
 pl. i, fig. 10. Hab.—Port Elizabeth.

LIMNÆIDÆ.

ANCYLUS.

- Caffer*, Krs. : Südafrik. Moll., p. 70, pl. iv, fig. 13. Hab.—S. Africa.
Transvaalensis, Craven : Proc. Zool. Soc., 1880, p. 617, pl. lvii, fig. 11. Hab.—Transvaal.

LIMNÆA.

- Natalensis*, Krs. : Südafrik. Moll., p. 85, pl. v, fig. 15. Hab.—S. Africa.

PLANORBIS.

- Anderssoni*, Ancey : Bull. Soc. Malac. France, vol. vii (1890), p. 161. Hab.—Durban.
Bowkeri, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893), p. 111, pl. iii, fig. 19. Hab.—Transvaal.
costulatus, Krs. : Südafrik. Moll., p. 83, pl. v, fig. 8. Hab.—Natal.
Crawfordi, Melv. & Pons. : Ann. Nat. Hist., vol. xii (1893), p. 111, pl. iii, fig. 20. Hab.—Cape Colony.
Natalensis, Krs. : Südafrik. Moll., p. 83, pl. v, fig. 9. Hab.—Natal.
Pfeifferi, Krs. : Südafrik. Moll., p. 83, pl. v, fig. 7. Hab.—Natal.

SEGMENTINA.

- emicans*, Melv. & Pons. : Ann. Nat. Hist., vol. x (1892), p. 241, pl. xii, figs. 13, 13a. Hab.—Cape Colony.
planodiscus, Melv. & Pons. : Ann. Nat. Hist., vol. xix (1897), p. 638, pl. xvii, fig. 10. Hab.—Natal.

PYRGOPHYSÆ.

- Wahlbergi*, Krs. : Südafrik. Moll., p. 84, pl. v, fig. 13. Hab.—Natal.

PHYSOPSIS.

- Africana*, Krs. : Südafrik. Moll., p. 85, pl. v, fig. 14. Hab.—Natal.

PHYSA.

PHYSIDÆ.

Algoensis, Morel. ?

The species said to have been described by Morelet under this name appears to have come from Damaraland.

- **contorta*, Mich. : Compl. Hist. Nat. France, p. 83, pl. x, figs. 38–40. Hab.—S. Africa.
cornea, Morel. : Journ. de Conch., vol. xxxvii (1889), p. 16, pl. i, fig. 8. Hab.—Port Elizabeth.
diaphana, Krs. : Südafrik. Moll., p. 84, pl. v, fig. 11. Hab.—S. Africa.
gradata, Melv. & Pons. : Ann. Nat. Hist., vol. ii (1898), p. 129, pl. vii, fig. 8. Hab.—Cape Colony.
lirata, Craven : Proc. Zool. Soc., 1880, p. 617, pl. lvii, fig. 10. Hab.—Transvaal.
Natalensis, Krs. : Südafrik. Moll., p. 84, pl. v, fig. 10. Hab.—Natal.

PHYSA (*continued*).

- parietalis*, Mos.: Journ. de Conch., vol. xxxv (1887), p. 298,
pl. xii, fig. 8. Hab.—S. Africa.
Schackoi, Jick.: Moll. Nordafrika, p. 197, pl. vii, fig. 12.
Hab.—S. Africa.
sericina, Jick.: Nova Acta Acad. Cæs.-Leop., vol. xxxvii (1875),
p. 194, pl. iii, fig. 2; pl. vii, fig. 11. Hab.—S. Africa.
tropica, Krs.: Südafrik. Moll., p. 84, pl. v, fig. 12.
Hab.—S. Africa.
Verreauxii, Bgt.: Amén. Malac., vol. i (1856), p. 176, pl. xxi,
figs. 3, 4. Hab.—Cape Colony.

MELANIIDÆ.

MELANIA.

- Crawfordi*, Brot: Journ. de Conch., vol. xlvi (1894), p. 473, pl. ix,
fig. 5. Hab.—Transvaal.
tuberculata, Müll.: Hist. Verm., vol. ii, p. 191. Hab.—Transvaal.

PALUDESTRINIDÆ.

PALUDESTRINA.

- alabastrina*, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 19,
pl. ii, fig. 5. Hab.—Cape Colony.
tristis, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 18, pl. ii,
fig. 4. Hab.—Cape Colony.

ASSIMINEIDÆ.

ASSIMINEA.

- **bifasciata*, Nev.: Journ. Asiatic Soc., vol. xlix (1880), pt. 2, p. 162.
Hab.—Natal.
fasciata, Krs.: Südafrik. Moll., p. 86, pl. v, fig. 18.
Hab.—Cape Colony.
**Knysnaensis*, Krs.: Südafrik. Moll., p. 86, pl. v, fig. 17.
Hab.—Cape Colony.
ovata, Krs.: Südafrik. Moll., p. 85, pl. v, fig. 16.
Hab.—Cape Colony.
Ponsonbyi, Morel.: Journ. de Conch., vol. xxxvii (1889), p. 17,
pl. ii, fig. 6. Hab.—Port Elizabeth.
tyttha, Melv. & Pons.: Ann. Nat. Hist., vol. xix (1897), p. 639,
pl. xvii, fig. 11. Hab.—Natal.

CYCLOPHORIDÆ.

CYCLOTUS.

- Natalensis*, Pfr.: Proc. Zool. Soc., 1861, p. 388; Rve., Conch.
Icon., pl. ix, fig. 54. Hab.—Natal.
[*? *Cyclotus Isipingoensis*, Sturany: Anz. k. Akad. Wissensch.
Wien, 1898, No. xvi, reprint p. 9. Hab.—Durban.]

CYCLOPHORUS.

- alabastris*, Craven: Proc. Zool. Soc., 1880, p. 619, pl. lvii, fig. 9.
Hab.—Port Elizabeth.

CYCLOPHORUS (*continued*).

- convexusculus*, Pfr.: Proe. Zool. Soc., 1856; Rve., Conch. Icon., pl. xix, fig. 92. Hab.—Cape Colony.
minimus, Melv. & Pons.: Ann. Nat. Hist., vol. ii (1898), p. 129, pl. vii, fig. 9. Hab.—Pietermaritzburg.

HIJABIA.

- Wahlbergi*, Bens.: Ann. Nat. Hist., vol. x (1852), p. 271; Rve., Conch. Icon., pl. xvii, fig. 81. Hab.—Natal.

POMATIIDÆ.

POMATIAS.

- foveolatus*, Melv. & Pons.: Ann. Nat. Hist., vol. xv (1895), p. 164, pl. xiii, figs. 4, 4a. Hab.—Cape Colony.
Hartwigianus, Pfr.: Novit. Conch., vol. i, p. 225, pl. lix, figs. 1, 2. Hab.—Cape Colony.
insularis, Pfr.: Proc. Zool. Soc., 1852, p. 64; Rve., Conch. Icon., pl. viii, fig. 41. Hab.—Natal.
Kraussianus, Pfr.: Proc. Zool. Soc., 1852, p. 64; Chemn., Conch. Cab., pl. xlili, figs. 17, 18. Hab.—Natal.
ligatus, Müll.: Hist. Verm., vol. ii, p. 181; Chemn., Conch. Cab., pl. iv, figs. 12, 13; pl. viii, figs. 3, 4.
 Var. *affinis*, Sby.: Thes., p. 98, pl. xxiii, figs. 25, 26.
 " *Caffer* (Beck MS.), Rve.: Conch. Icon., pl. xi, fig. 67. Hab.—S. Africa.
lineatus, Pfr.: Proc. Zool. Soc., 1852, p. 65; Rve., Conch. Icon., pl. viii, fig. 46. Hab.—Natal.
ochraceus, Melv. & Pons.: Ann. Nat. Hist., vol. xviii (1896), p. 318, pl. xvi, figs. 8, 9. Hab.—Cape Colony.
sarcodes, Pfr.: Proc. Zool. Soc., 1856, p. 339; Rve., Conch. Icon., pl. x, fig. 61. Hab.—Cape Colony.
Transvaalensis, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 237; vol. ix (1892), pl. v, fig. 6. Hab.—Transvaal.

TRUNCATELLIDÆ.

TRUNCATELLA.

- teres*, Pfr.: Proc. Zool. Soc., 1856, p. 336; Cox, Monog. Austr. Land-Shells, pl. xv, figs. 9-9b. Hab.—Cape Colony.

TOMICHIA.

- ventricosa*, Rve.: Conch. Syst., ii, pl. clxxxii, fig. 2. Hab.—Cape Colony.

HYDROCENIDÆ.

HYDROCENA.

- noticola*, Bens.: Ann. Nat. Hist., vol. xviii (1856), p. 349. Hab.—Capetown.

NERITIDÆ.

NERITINA.

- Natalensis*, Rve.: Conch. Icon., pl. xvi, figs. 75a-b. Hab.—Durban.

PELECYPODA.

UNIONIDÆ.

MUTELA.

Wahlbergi, Krs.: Südafrik. Moll., p. 19, pl. ii, fig. 1.

Hab.—Natal.

UNIO.

Caffer, Krs.: Südafrik. Moll., p. 18, pl. i, fig. 14.

Hab.—S. Africa.

Verreauxi (Chp.), Küst.: Conch. Cab., p. 150, pl. xlivi, fig. 6.

Hab.—Cape Colony.

CYRENIDÆ.

CORBICULA.

Africana, Krs.: Südafrik. Moll., p. 8, pl. i, fig. 8.

Hab.—Cape Colony.

Oliphantensis, Craven: Proc. Zool. Soc., 1880, p. 618, pl. lvii, fig. 12.

Hab.—Transvaal.

PISIDIUM.

Langleyanum, Melv. & Pons.: Ann. Nat. Hist., vol. viii (1891), p. 237; Ann. Nat. Hist., vol. ix (1892), pl. v, fig. 7.

Hab.—Cape Colony.

SPHÆRIUM.

Capense, Krs.: Südafrik. Moll., p. 7, pl. i, fig. 6.

Hab.—Cape Colony.

ferrugineum, Krs.: Südafrik. Moll., p. 7, pl. i, fig. 7.

Hab.—Cape Colony.

SPECIES INTRODUCED, AND APPARENTLY NOT INDIGENOUS.

Zonitoides arboreus, Say. Port Elizabeth.

Vitrea cellaria, Müll. Capetown.

„ *crystallina*, Müll.

„ „

Eulota similaris, Fér.

Natal.

Vallonia pulchella, Müll. Port Elizabeth and Capetown.

Helix aspersa, Müll.

„

„

„ *Pisana*, Müll.

„ „

„

„ *lactea*, Müll.

Pondoland.

Rumina decollata, Linn.

Pondoland.

**Pupa umbilicata*, Dp.

Capetown.

Cæcilianella acicula, Müll. Cradock.

Limnaea truncatula, Müll. Natal.

Alexia myosotis, Dp. Port Elizabeth.